

References

- [AS02] A. Agashe and W. Stein, *Visibility of Shafarevich-Tate groups of abelian varieties*, J. Number Theory **97** (2002), no. 1, 171–185.
- [AS05] ———, *Visible evidence for the Birch and Swinnerton-Dyer conjecture for modular abelian varieties of analytic rank zero*, Math. Comp. **74** (2005), no. 249, 455–484 (electronic), With an appendix by J. Cremona and B. Mazur, <http://wstein.org/papers/shacomp/>. MR 2085902
- [Bil11] Nicolas Billerey, *Criteres d’irreductibilite pour les representations des courbes elliptiques*, International Journal of Number Theory **7** (2011), 1001–1032.
- [BK75] B. J. Birch and W. Kuyk (eds.), *Modular functions of one variable. IV*, Springer-Verlag, Berlin, 1975, Lecture Notes in Mathematics, Vol. 476.
- [BMSW07] Baur Bektemirov, Barry Mazur, William Stein, and Mark Watkins, *Average ranks of elliptic curves: tension between data and conjecture*, Bull. Amer. Math. Soc. (N.S.) **44** (2007), no. 2, 233–254 (electronic). MR 2291676
- [BS02] K. Buzzard and W. A. Stein, *A mod five approach to modularity of icosahedral Galois representations*, Pacific J. Math. **203** (2002), no. 2, 265–282. MR 2003c:11052
- [BS11] R. Bradshaw and W. A. Stein, *Heegner Points and the Arithmetic of Elliptic Curves over Ring Class Extensions*, Submitted (2011), <http://wstein.org/papers/bs-heegner/>.
- [CDT99] B. Conrad, F. Diamond, and R. Taylor, *Modularity of certain potentially Barsotti-Tate Galois representations*, J. Amer. Math. Soc. **12** (1999), no. 2, 521–567.
- [CES03] B. Conrad, S. Edixhoven, and W. A. Stein, *$J_1(p)$ Has Connected Fibers*, Documenta Mathematica **8** (2003), 331–408, <http://www.wstein.org/papers/j1p/>.
- [CL07] J. E. Cremona and M. P. Lingham, *Finding all elliptic curves with good reduction outside a given set of primes*, Experiment. Math. **16** (2007), no. 3, 303–312. MR 2367320 (2008k:11057)
- [CM00] J. E. Cremona and B. Mazur, *Visualizing elements in the Shafarevich-Tate group*, Experiment. Math. **9** (2000), no. 1, 13–28. MR 1758797

- [Cor02] Christophe Cornut, *Mazur’s conjecture on higher Heegner points*, Invent. Math. **148** (2002), no. 3, 495–523, http://www.math.jussieu.fr/~cornut/papers/mcinv_published.pdf.
- [Cre] J. E. Cremona, *Elliptic Curves Data*, <http://www.warwick.ac.uk/~masgaj/ftp/data/>.
- [Cre97] ———, *Algorithms for modular elliptic curves*, second ed., Cambridge University Press, Cambridge, 1997, <http://www.warwick.ac.uk/~masgaj/book/fulltext/>.
- [CS01] B. Conrad and W. A. Stein, *Component groups of purely toric quotients*, Math. Res. Lett. **8** (2001), no. 5-6, 745–766, <http://wstein.org/papers/compgrp/>. MR 2003f:11087
- [DDLR11] Henri Darmon, Michael Daub, Sam Lichtenstein, and Victor Rotger, *The Effective Computation of Iterated Integrals and Chow-Heegner Points on Triple Products*, In Preparation (2011).
- [Del02] Christophe Delaunay, *Formes modulaires et invariants de courbes elliptiques définies sur \mathbb{Q}* , Thèse de Doctorat, Université Bordeaux I, available at <http://math.univ-lyon1.fr/~delaunay/>.
- [Dem04] Lassina Dembélé, *Quaternionic Modular Symbols and Computing Hilbert modular forms*, <http://wstein.org/mcs/archive/spring2004/dembele.html>.
- [Dem05] ———, *Explicit computations of Hilbert modular forms on $\mathbb{Q}(\sqrt{5})$* , Experiment. Math. **14** (2005), no. 4, 457–466. MR 2193808
- [Dok04] Tim Dokchitser, *Computing special values of motivic L-functions*, Experiment. Math. **13** (2004), no. 2, 137–149, <http://arxiv.org/abs/math/0207280>. MR 2068888 (2005f:11128)
- [Fis11] Tom Fisher, *On Families of n -congruent Elliptic Curves*, Preprint (2011).
- [FpS⁺01] E. V. Flynn, F. Leprévost, E. F. Schaefer, W. A. Stein, M. Stoll, and J. L. Wetherell, *Empirical evidence for the Birch and Swinnerton-Dyer conjectures for modular Jacobians of genus 2 curves*, Math. Comp. **70** (2001), no. 236, 1675–1697 (electronic). MR 1 836 926
- [Gee06] Toby Gee, *A modularity lifting theorem for weight two Hilbert modular forms*, Math. Res. Lett. **13** (2006), no. 5-6, 805–811. MR 2280776 (2007m:11065)

-
- [GJP⁺09] G. Grigorov, A. Jorza, S. Patrikis, C. Tarnita, and W. Stein, *Computational verification of the Birch and Swinnerton-Dyer conjecture for individual elliptic curves*, Math. Comp. **78** (2009), 2397–2425, <http://wstein.org/papers/bsdalg/>.
- [GK92] B. H. Gross and S. S. Kudla, *Heights and the central critical values of triple product L-functions*, Compositio Math. **81** (1992), no. 2, 143–209. MR 93g:11047
- [GSL11] GSL, *GNU Scientific Library*, <http://www.gnu.org/s/gsl/>.
- [GV10] Matthew Greenberg and John Voight, *Computing systems of hecke eigenvalues associated to hilbert modular forms*, Math. Comp. (2010), <http://www.cems.uvm.edu/~voight/articles/heckefun-021910.pdf>.
- [Hes02] F. Hess, *Computing Riemann-Roch spaces in algebraic function fields and related topics*, J. Symbolic Comput. **33** (2002), no. 4, 425–445. MR 1890579 (2003j:14032)
- [JLS09] Dimitar Jetchev, Kristin Lauter, and William Stein, *Explicit Heegner points: Kolyvagin’s conjecture and non-trivial elements in the Shafarevich-Tate group*, J. Number Theory **129** (2009), no. 2, 284–302, <http://wstein.org/papers/kolyconj/>. MR 2473878 (2009m:11080)
- [JS07] Dimitar P. Jetchev and William Stein, *Visibility of the Shafarevich-Tate group at higher level*, Doc. Math. **12** (2007), 673–696, <http://wstein.org/papers/vishigher/>. MR 2377239 (2009c:11081)
- [Kis09] Mark Kisin, *Moduli of finite flat group schemes, and modularity*, Ann. of Math. (2) **170** (2009), no. 3, 1085–1180. MR 2600871 (2011g:11107)
- [Kle01] T. Klenke, *Modular Varieties and Visibility*, Ph.D. thesis, Harvard University (2001).
- [Kol91a] V. A. Kolyvagin, *On the structure of Selmer groups*, Math. Ann. **291** (1991), no. 2, 253–259, http://wstein.org/papers/stein-ggz/references/kolyvagin-structure_of_selmer_groups/. MR 93e:11073
- [Kol91b] ———, *On the structure of Shafarevich-Tate groups*, Algebraic geometry (Chicago, IL, 1989), Springer, Berlin, 1991, http://wstein.org/papers/bib/kolyvagin-structure_of_sha.pdf, pp. 94–121.

- [KSW08] Koopa Tak-Lun Koo, William Stein, and Gabor Wiese, *On the generation of the coefficient field of a newform by a single Hecke eigenvalue*, J. Théor. Nombres Bordeaux **20** (2008), no. 2, 373–384. MR 2477510 (2010d:11047)
- [KW08] C. Khare and J.-P. Wintenberger, *Serre’s modularity conjecture (i)*, Preprint (2008).
- [Maz77] B. Mazur, *Modular curves and the Eisenstein ideal*, Inst. Hautes Études Sci. Publ. Math. (1977), no. 47, 33–186 (1978), http://archive.numdam.org/article/PMIHES_1977__47__33_0.pdf.
- [Maz99] ———, *Visualizing elements of order three in the Shafarevich-Tate group*, Asian J. Math. **3** (1999), no. 1, 221–232, Sir Michael Atiyah: a great mathematician of the twentieth century. MR 2000g:11048
- [Mil10] Robert L. Miller, *Proving the Birch and Swinnerton-Dyer conjecture for specific elliptic curves of analytic rank zero and one*, <http://arxiv.org/abs/1010.2431>, 2010.
- [MS11] Robert L. Miller and Michael Stoll, *Explicit isogeny descent on elliptic curves*, To appear in Math. Comp. (2011), <http://arxiv.org/abs/1010.3334>.
- [MSD74] B. Mazur and P. Swinnerton-Dyer, *Arithmetic of Weil curves*, Invent. Math. **25** (1974), 1–61.
- [MTT86] B. Mazur, J. Tate, and J. Teitelbaum, *On p -adic analogues of the conjectures of Birch and Swinnerton-Dyer*, Invent. Math. **84** (1986), no. 1, 1–48. MR MR830037 (87e:11076)
- [Par00] Pierre Parent, *Torsion des courbes elliptiques sur les corps cubiques*, Ann. Inst. Fourier (Grenoble) **50** (2000), no. 3, 723–749. MR 1779891 (2001i:11067)
- [Rib92] K. A. Ribet, *Abelian varieties over \mathbf{Q} and modular forms*, Algebra and topology 1992 (Taejön), Korea Adv. Inst. Sci. Tech., Taejön, 1992, pp. 53–79. MR 94g:11042
- [S⁺11] W. A. Stein et al., *Sage Mathematics Software (Version 4.6.2)*, The Sage Development Team, 2011, <http://www.sagemath.org>.
- [SP10] William Stein and Clement Pernet, *Fast computation of hermite normal forms of random integer matrices*, J. Number Theory **130** (2010), no. 7, 1675–1683, <http://wstein.org/papers/hnf/>.

-
- [Ste82] G. Stevens, *Arithmetic on modular curves*, Birkhäuser Boston Inc., Boston, Mass., 1982. MR 87b:11050
- [Ste07a] William Stein, *The Birch and Swinnerton-Dyer Conjecture, a Computational Approach*, 2007, <http://wstein.org/edu/2007/spring/bsd/>.
- [Ste07b] ———, *Modular Forms, A Computational Approach*, Graduate Studies in Mathematics, vol. 79, American Mathematical Society, Providence, RI, 2007, With an appendix by Paul E. Gunnells, <http://wstein.org/books/modform/>. MR 2289048
- [Ste09] ———, *Elementary number theory: primes, congruences, and secrets*, Undergraduate Texts in Mathematics, Springer, New York, 2009, A computational approach. MR 2464052 (2009i:11002)
- [Ste10] ———, *Toward a Generalization of the Gross-Zagier Conjecture*, Internat. Math. Res. Notices (2010), <http://wstein.org/papers/stein-ggz/>.
- [Ste11] ———, *Verification of kolyvagin's conjecture for specific elliptic curves*, Submitted (2011), <http://wstein.org/papers/kolyconj2/>.
- [SW02] William Stein and Mark Watkins, *A database of elliptic curves—first report*, Algorithmic number theory (Sydney, 2002), Lecture Notes in Comput. Sci., vol. 2369, Springer, Berlin, 2002, <http://wstein.org/ecdb>, pp. 267–275. MR 2041090 (2005h:11113)
- [SW10] William Stein and Jared Weinstein, *Kolyvagin classes on elliptic curves: structure, distribution, and algorithms*, In preparation (2010).
- [SW11] William Stein and Christian Wuthrich, *Algorithms for the Arithmetic of Elliptic Curves using Iwasawa Theory*, Submitted (2011), <http://wstein.org/papers/shark/>.
- [Tao] Terry Tao, *Distinguished Lecture Series III: Shou-wu Zhang, “Triple L-series and effective Mordell conjecture”*, <http://terrytao.wordpress.com/2007/05/04/distinguished-lecture-series-iii-shou-wu-zhang-%E2%80%9Ctriple-l-series-and-effective-mordell-conjecture%E2%80%9D/>.
- [Wat02] M. Watkins, *Computing the modular degree of an elliptic curve*, Experiment. Math. **11** (2002), no. 4, 487–502 (2003). MR 1 969 641
- [YZZ11] X. Yuan, S. Zhang, and W. Zhang, *Triple product L-series and Gross-Schoen cycles I: split case*, Preprint (2011), <http://www.math.columbia.edu/~xyy/preprints/triple.pdf>.

- [Zha01] Shou-Wu Zhang, *Heights of Heegner points on Shimura curves*, Ann. of Math. (2) **153** (2001), no. 1, 27–147. MR 1826411 (2002g:11081)
- [Zha04] ———, *Gross-Zagier formula for $\mathrm{GL}(2)$. II*, Heegner points and Rankin L -series, Math. Sci. Res. Inst. Publ., vol. 49, Cambridge Univ. Press, Cambridge, 2004, <http://www.math.columbia.edu/~szhang/papers/gzes.pdf>, pp. 191–214. MR 2083213